



ISO 9001 : 2008 Awarded by JAS-ANZ
The Joint Accreditation System Of Australia & New Zealand

MASTERS IN GREEN HOUSE ACCESSORIES & KITS



WORLDWIDE TRUSTED PRODUCTS

www.blustal.com

Product Catalogue
GREEN HOUSE SOLUTIONS & KITS

COMMERCIAL GREEN HOUSES



MIST CHAMBER



SHADE NET HOUSE



ANTI INSECT NET HOUSE
DOME SHAPED



SAW TOOTH SHAPE TOP VENT POLY HOUSE



Structure Kits Available In Various Sizes From
100 sq Mtrs To 10000 Sq Mtrs



TOP VENT GABLE SHAPE POLY HOUSE



FLAT ROOF TYPE NET HOUSE
WITH WIRE ROPE CONSTRUCTION

COMMERCIAL GREEN HOUSES




Low Cost Top Vent High Tunnel Green House

Aerodynamic shaped with Top Vent very Strong GI Structure.

Very Easy and Fast to install

Kits available from 500 Sqmtr to 4000 Sq Mtr Sizes.



PREFABRICATED MINI GREEN HOUSES

KITS AVAILABLE IN 20 Sq Mtr to 100 Sq Mtr Sizes

Introduced
First Time in India

Portable
Green House

Mini Green Houses
for Homes and Small Gardens



- Best for the interior regions
- Easy to install.
- Installation Drawing supplied along with.
- Fixing Tools like Spanners, Screw Drivers etc for fixing provided along with.
- No welding required, Structure installed just by fixing Nut, Bolts & screws provided in the kit.
- Heavy duty structures can bear heavy wind pressure.



HOBBY GREEN HOUSES



Model : BHGG-7101 with Galvanized Pipe Structure
 Model : BHGG-7102 with Steel Pipe Structure duly rust preventive Epoxy coating
 Model BHGA-7103 with aluminum pipe construction
 Sizes Available
 A. 8Ft x 6Ft x 10Ft
 B. 10Ft X 6Ft X10Ft
 C. 20Ft X 8Ft X10Ft
 D. 30Ft X 10Ft X10Ft
 E. 30Ft X 12Ft X10Ft



Model : BHGG-7104 with Galvanized Pipe Structure
 Model : BHGG-7105 with Steel Pipe Structure duly rust preventive Epoxy coating
 Model BHGA-7106 with aluminum pipe construction
 Sizes Available
 A. 8Ft x 6Ft x 10Ft
 B. 10Ft X 6Ft X10Ft
 C. 20Ft X 8Ft X10Ft
 D. 30Ft X 10Ft X10Ft
 E. 30Ft X 12Ft X10Ft



Model : BHGG-7110 with Galvanized Pipe Structure
 Model : BHGG-7112 with Steel Pipe Structure duly rust preventive Epoxy coating
 Model BHGA-7113 with aluminum pipe construction
 Sizes Available
 A. 8Ft x 6Ft x 10Ft
 B. 10Ft X 6Ft X10Ft
 C. 20Ft X 8Ft X10Ft
 D. 30Ft X 10Ft X10Ft
 E. 30Ft X 12Ft X10Ft



Model : BLGG-7570
 SIZE: 1.5FT X 2FT X 4FT



Model : BLGG-7559
 BLUSTAL Garden Mini Green House
 A. Standard: 4Ft x 2Ft x 2Ft
 B. Extra Deep: 4Ft X 2Ft x 3 Ft
 C. Standard: 6Ft X 3Ft X 2Ft
 D. Extra Deep: 6Ft X 3Ft X 3Ft
 E. Standard: 8Ft X 4Ft X 2Ft
 F. Extra Deep: 8Ft X 4Ft X 3Ft



Model : BLGG-7560
 SIZE: 6FT X 4FT X 2.5FT

Grow More 



Eat Pure

PROPAGATION CHAMBER

Artificial Light Nursery Propogation Chamber



Stainless Steel and GI Chamber
LED Lights for Low Power Consumption
Available in Different Sizes to Accommodate 1000 to 20000 plants
Fast and healthy Plant Growth
optional environment control system in chamber
equipped with heating , cooling and humidity generator.



Semi Automatic Green House Environment Controller Cum Dosing System



DOSING PUMP



Control Unit



Cyclic Irrigation Timer

- State of the Art Technology.
- Maintains EC, PH, Temperature, Humidity.
- Low cost solution.
- Value for money.
- Values Display on control panel.
- Cyclic timers to control Irrigation.

AUTOMATION SYSTEM

GREEN HOUSE TOP SHADING NET AUTOMATION



Roller Brackets



Motor Base Plate




Control Unit



Gear Motors

Hydroponics Trough Cultivation System



Pot Based
Hydroponics System

HYDROPONICS SOLUTION & ACCESSORIES



GROW BAGS

SMALL & BIG SIZE U.V. STABILIZED POLY BAGS

JUMBO SIZE U.V. STABILIZED POLY BAGS

SIZE
WIDTH X HEIGHT

SIZE
WIDTH X HEIGHT

SIZE
WIDTH X HEIGHT

- 4" x 4"
- 4" x 5"
- 4" x 6"
- 5" x 6"
- 5" x 7"
- 6" x 6"
- 6" x 7"
- 6" x 8"
- 7" x 8"
- 7" x 9"

- 8" x 10"
- 9" x 11"
- 10" x 12"
- 12" x 12"
- 13" x 13"
- 15" x 12"
- 15" x 15"
- 18" x 18"
- 19" x 16"
- 21" x 21"

- 25" x 25"
- 30" x 30"
- 35" x 35"
- 42" x 42"
- 50" x 50"

Application:

- Plants nursery
- Grow bag for green house
- Tissue culture nursery
- Agro and horticulture industry
- Home garden & kitchen garden
- Terrace garden


Specification:

- U.V. stabilized material
- High durability
- Heavy strength material & long lasting
- No weather effect approx 2 - 3 years
- Reliable and economical
- Easy to carry and maintain
- High and optimum strength
- Moisture resistance
- Fine finish
- Eco friendly & recyclable
- Quality assured raw material procured from authorized vendors of the industry

Hydroponic N.F.T. (Nutrient Film Technique) System



Nutrient Film Technique



Key benefits of the NFT systems & supplies is the ability to produce many different types of leafy crops in the same greenhouse or growing area. The channel layout allows a grower to access all plants in the house at any time. Growers then have the opportunity to grow and market leaf lettuces, basil, kale, arugula and other leafy greens. An NFT hydroponics grower can provide a diverse range of produce for their customers year around.



BEST WAY TO GROW SOIL-LESS

Kits available from 32 to 24000 Plants



ENVIRONMENT CONTROL EQUIPMENTS


COOLING PAD SYSTEM



- Available in GI and Aluminum Frame.
- Sturdy Design.
- Easy to Install.
- Heavy Gauge frame for Long Life.
- All fittings provide in the Kit.
- Can expand to any Length.
- Available in 4ft, 5ft & 6ft Height and 4" & 6" Thickness.

ENVIRONMENT CONTROL EQUIPMENTS

EVAPORATIVE COOLING PADS



MODEL	7090	5090	7060	
H (mm)	1500,1800,2000	As Per Requirement	As Per Requirement	
W (mm)	300,600,900	As Per Requirement	As Per Requirement	
D (mm)	100,150,200,300	50-150	100,150,200	
h (mm)	7	5	7	
a ()	45	45	45	30
b ()	45	45	15	30

H : Screen Height
D : Screen Depth

W : Screen Width
a : Grove Angle

h : Flute Height
b : Grove Angle

ENVIRONMENT CONTROL EQUIPMENTS

SLOW AXIAL FAN



BLUSTAL Slow Axial Fans are the best way to ventilate Green Houses and Poultry farms , these fans Create a cooler more comfortable growing environment, which can directly contribute to productivity, quality and profitability for your greenhouse business. These Slow Axial fans are great for reducing dairy cow and poultry heat stress and also provide excellent ventilation for poultry laying cages.

Size	36"	54"
Power	220v/3Ph	220v/3Ph
H.P	1	1.5
R.P.M	950	950
Body	G.I	G.I
Fins	Stainless	Stainless

BLUSTAL Circulation Fans reduce heat stress and improve air quality using a unique deep guard, wide spacing design that maximizes performance in side the green house and poultry farms made of stainless steel for corrosion free and clean appearance.

- Deep guard design for maximum performance at very low sound levels
- Stainless steel guards for clean finish
- Corrosion resistant inside and out
- Wide guard spacing without compromising safety
- Totally enclosed, thermally protected motor for long maintenance-free life
- Made in INDIA with dependable, long lasting components

CIRCULATION FAN



ENVIRONMENT CONTROLLER

Controls, Temperature, Humidity and Irrigation timing Temperature and Humidity controls with high quality sensing system. Provided Cyclic Timer manages operation timings of irrigation pump or Solenoid valves. These Controllers are available in 220 Volt and 110 volt single phase/ three phase variants.

GREEN HOUSE BENCHES



AVAILABLE IN STAINLESS STEEL AND G.I | SIZES : 8FT X 4FT X 2.5FT, 8FT X 3FT X 2.5FT
CUSTOMIZED SIZES MAY ALSO BE PRODUCED AS PER CUSTOMER REQUIREMENT

GREEN HOUSE ACCESSORIES



Bracket 'F' Type



Bracket 'L' Type



Runner Bracket



Two Way Clamp



One Way Clamp



'U' Clamp



Tubular 'T' Joiner



Tubular 'L' Joiner



Connector




Eye Bolt



Turn Buckle



Turn Buckle



Wire Clip

GREEN HOUSE ACCESSORIES




Gutter Plate- A



Gutter Plate - B



GI Readymade Gutter



Arch Plate




Gutter Bracket



GI Gutter Coil
(With Bending Grooves)




GI Gutter Coil (Plain)



Gutter Funnel

GREEN HOUSE CLAMP & ACCESSORIES



Net Sticking Stick



Oval Clip



Shade Net Joiner



'V' Gripper



'V' Gripper Big



Column Cap



Shade Net Gripper



Wire Rope Stay Rod
Size 14mm x 150mm



Column Plug



Wire Rope Stay Rod (Size 14mm x 2mtr)



6 Hole Wire Clamp



Wire Clamp



Roll Up Universal Joint


GREEN HOUSE ACCESSORIES



Curtain Pulley (Steel)




Curtain Sliding Pulley



Zig Zag Spring



Curtain Pulley with Bearing



Curtain Clamp 1/2" & 3/4"



Poly Grip Assembly



Self Screw Spanner



HOT DIP & Galvanised Nut - Bolts



Self Drill Screws



'R' Hook




Curtain Hook



Curtain Ring

GREEN HOUSE FOUNDATION PILLAR



GREEN HOUSE CLAMP & ACCESSORIES



INTER-PLANTING AND SHORT SEASON TRELLISING HOOK

The mini hook is used for the final stage of one growing while releasing the main hooks for a new growing in parallel. The mini hook enables lowering up to 2 meters. Wire diameter: up to 2 meters. Wire diameter: up to 4mm



GRAFTING CLIPS

are used to prepare the best grafts of vegetable and Fruits, these are made of a non toxic material and are also suitable for alimentary use. softness and flexibility of the same allows a perfect fit around the grafting point and



UV TRELLISING TWINE

Twine Support offered comes in roll form which is 1200 mtrs long. Delivering high UV stabilization, their solid Construction also assists in achieving longer service life. The use of latest technology support and production facilities available at our



CLUSTER HOOK

A Supporting hook that Prevents damage to the cluster stem Tripple length cluster for superior adjustment. Unique design that enables an extremely fast operation and Easy function



ROLLER TRELLISING HOOK

Simple to Operate spool device with 25mtr twine Made of best quality plastic and steel Assures full control of lowering length Suitable for wire diameters of 2.50 - 4.00mm



METAL TRELLISING HOOK

Made of best quality steel for long life. Assures Anti slip stacking and quick release technology Available with a wide range of twine Length from 10mtr to 25mtr



TOMATO CLIP

Clip for connecting the plant to the twine (23 mm). Aired clip to prevent Botrytis. Quick and easy opening. Does not slip

GREEN HOUSE CLAMP & ACCESSORIES



PVC Coated Wire Rope



GI Wire Rope



GI Wire (Hot Dip)



Side Curtain Support Strip
(Cotton Made)



Nylon Rope



Wire Rope
Anchor Hook



70mm x 100mm

80mm x 75mm


50mm x 50mm

35mm x 35mm



Net Pots

GREEN HOUSE CLAMP & ACCESSORIES



BPL-425



BPL-426



BPL-427



U.V. Net Stitching Thread




Breasted Poly Sheet Repairing Tape
More Strength and Life



Poly Sheet Repairing Tape



Sticky Boards
Available in Yellow and Blue Colour



SEEDLING TRAYS AND ROOT TRAINERS

ROOT TRAINERS

BRT-12300



VOL - 300
 \varnothing 58mm \square 140mm

BRT-12250



VOL - 250
 \varnothing 68mm \square 100mm

BRT-25150



VOL - 150
 \varnothing 50mm \square 100mm

BRT-20150



VOL - 150
 \varnothing 50mm \square 100mm

BRT-4093



VOL - 93
 \varnothing 40mm \square 95mm

BRT-6060



VOL - 60
 \varnothing 35mm \square 85mm

BRT-1500



VOL - 500
 \varnothing 70mm \square 220mm

BRT-1300



VOL - 300
 \varnothing 68mm \square 145mm

BRT-1150



VOL - 150
 \varnothing 50mm \square 100mm

BRT-1100



VOL - 100
 \varnothing 40mm \square 95mm



SEEDLING TRAYS

BST-104



Cells - 104, (13x8)
 \varnothing 35mm \square 37mm

BST-99



Cells - 99, (11x9)
 \varnothing 35mm \square 50mm

BST-198



Cells - 198, (18x11)
 \varnothing 35mm \square 50mm

BST-98



Cells - 98, (14x7)
 \varnothing 35mm \square 37mm

BST-50



Cells - 50, (10x5)
 \varnothing 50mm \square 45mm

BST-28



Cells - 28, (7x4)
 \varnothing 67mm \square 154mm

BST-18



Cells - 18, (6x3)
 \varnothing 72mm \square 72mm

BST-10



Cells - 10, (5x2)
 \varnothing 53mm \square 60mm

AGRI NETS & SHEETS



Sun Protection



SUN PROTECTION NET

Model No : BSN-35

BLUSTAL Sun Protection- Shading Net : Made Of Very High Quality UV Stabilized Filament, Available In Green, Green-black, White, White Black, Red, Sky-blue Colors. Sizes : Width :3Mtr, 4.20 Mtr,5mtr, 6Mtr Length: 10Mtr to 100Mtr



Frost Protection



FROST PROTECTION NET

Model No : BFP-330

BLUSTAL Frost Protection Net : Made Of Very High Quality UV Stabilized Filament. Available in Milky White Colour. Available Sizes:- Width:1.20mtr & 2.0 Mtr , Length: 10 Mtr to 500 Mtrs



Pond Lining



POND LINING

Model No : BPL-1000

BLUSTAL Pond Lining Made Of Very High Quality UV Stabilized Material. Available In Black Colour. Thickness : 250 & 500 Microns. Available Sizes :- Width: 7mtr & 9mtr Length: 10 mtr to 100 mtr



Plant Supports



PLANT SUPPORTS NET

Model No : BPSN-525

Made Of Very High Quality Uv Stabilized Material. Available In Black Colour. Available Mesh sizes 3", 4" 5" Available Roll Sizes :- Width: 0.90 Mtr, Length: 10Mtr to 100Mtr

AGRI NETS & SHEETS




Insect Protection

INSECT PROTECTION NET

Model No : BIPN-35

BLUSTAL Insect Protection Net : Made Of Very High Quality UV Stabilized Filament. Available In Crystal White & Milky White Colours Available Sizes :- Width: 1.20Mtr,2.50Mtr,3Mtr & 3.60 Mtr Length: 10Mtrs to 100 Mtrs



Hail Protection

HAIL PROTECTION NET

Model No : BHPN-335

BLUSTAL Hail Protection Net : Made Of Very High Quality UV Stabilized Filament. Available In Transparent White Colour. Available Sizes:- Width: 3mtr & 6mtr and Length:10 to 100 Mtr




Poly House Coverings

POLY HOUSE COVERINGS

Model No : BPL-201

BLUSTAL Poly House Coverings (Poly Film) Made Of Very High Quality UV Stabilized 200 Micron Multilayer Material With Anti Fog/drip, Anti Dust Advantage. Sizes Available :- Width: 4.5mtr, 5.5 Mtr, 7mtr & 9mtr and Length :10mtr to 100Mtr



Fencing

FENCING NET

Model No : BFN-401

Made Of Very High Quality UV Stabilized Engineering Plastic Material

Available Sizes : Width: 1.2 Mtr & 2 Mtr and Length: 25Mtr

AGRI NETS & SHEETS



Bird Protection




BIRD PROTECTION NET

Model No : BBPN-300

BLUSTAL Bird Protection Net: Made Of Very High Quality UV Stabilized Material. Available In Black & Green Colour. Available Sizes:- Width: 3mtr & 6Mtr , Length:100Mtr 300mtr



Fruit Harvesting



FRUIT HARVESTING

Model No : BFHN-340

BLUSTAL Fruit Harvesting Net : Made Of Very High Quality UV Stabilized Material Available In White Colour



Weed Protection



WEED PROTECTION NET

Model No : BMF-25

BLUSTAL Weed Protection Sheet (mulch Film) Made Of Very High Quality UV Stabilized Material. Available In Silver & Black Colour Available Sizes :- Thickness: 20, 25,30,50 & 100 Microns. Width : 1Mtr & 1.20 Mtr ,Length: 400 Mtrs

Warming Cap



Warming & Frost Protection Caps

Model No : BFWC-331


BLUSTAL Warming Caps Made Of Best Quality Non-woven water Resistant Fabric Transfers Required Sunlight to the Crop Best for Vegetable and Fruit Protection Maintains inside Temperature to Produce Quality Crop saves fruit and vegetables from frost in Winters. Available in Different sizes for Different Crops. 80cm X 60cm, 60cm X 40cm, 40cm X 30cm, 30cm X 20cm, 20cm X 20cm.

PLANT TRANS PLANTER



Stand 'N Plant Planter

The only hand-held planter/ transplanter on the market that allows one person to easily plant hundreds of plants per hour. The planter is of all stainless steel construction with 2" and 2 ½ diameter tube Varients. uses no discs or plant to clog. shipped fully assembled. Plant into prepared seedbeds, either through plastic Mulch or on bare ground. one person operation. The planter will also plant potatoes and large bulbs. Small investment - Big returns. No need to buy big expensive machinery, one person can plant hundreds of plants per hour. It's not just for farmers! Anyone who enjoys gardening will be amazed at how easy planting can be using the Stand 'N Plant Planter.



SEED TREATMENT DRUM

BSTD-20



Description:

The seed treatment drum consists of frame, handle and cylindrical drum. The cylindrical drum is mounted on a tri-pod angle iron frame. Three piece of mild steel flat are welded inside the drum for helping in uniform mixing. Prior to start mixing of chemicals, workers are advised for wearing plastic hand gloves and mask on nose for health protection. After adding chemicals in drum, add little water, close the lid of drum tightly and rotate the drum for 20 to 25 revolutions. After 1-2 minutes of completing the work, open the lid and take the treated seed in a separate bag/container. A batch of 20kg seeds takes about 5-6 minute for complete operation i.e filling, treating and emptying. Hand gloves and mask should not be removed till completion of the work. Children's should be kept away from the work place. After completing the work, workers are advised for thorough washing of hand, legs, face and eyes.

Features:

- Capacity - 20LTR
- Designed with a sliding gate for easy loading and unloading of seeds and chemicals
- Durable handle for rotating the drum manually.
- Rust proof finish.

VERMI COMPOST BED



Vermi Compost Bed

Size 3600 x 1200 x 600mm (LxWxH)

BLUSTAL VERMI BED is a best option for small farmers to produce nutrient rich Vermicompost from farm waste and cow dung .

Salient Features of BLUSTAL Vermi Bed


1. Blustal Vermi Bed is made of UV stabilized material make it long lasting even in exposure with Rain, Sun, Air.
2. The material of Blustal Vermi Bed has very High Tensile and Tear and bursting Strength properties, due to this it long last in harsh conditions.
3. Due to High quality Heat sealed Joints the Blustal Vermi Bed is Completely Leak Proof and maintain the adequate moisture contents inside the bed. which is an important aspect to produce quality Vermicompost.
4. Blustal Vermi Bed has Air Circulation Windows for better aeration in Vermicompost Bed to achieve high efficiency by maintaining humidity and temperature within the bed.
5. Blustal Vermi Bed has an outlet on the lower end for collecting the Vermicompost wash liquid, which is very useful for spraying on the crops for better productivity.

VERMI COMPOST BED

Aeration windows provide optimal moisture & oxygen levels providing faster and healthier composts

BLUSTAL Vermi Bed superior heat sealed multi-layer coated woven & reinforced HDPE Construction provides an excellent combination of strength, durability and resistance to tears

Designed with extra stiff outer walls to prevent sagging



Factory Fitted pockets make **BLUSTAL** Vermi beds installation fast and simple

Excellent U.V.stability for long term protection from exposure to the sun

BLUSTAL Vermi Bed is made of very sturdy & durable material. Which is puncture resistant, waterproof, light weight and unaffected by most of the agricultural chemicals.



SOLAR EQUIPMENTS

Multi Rack Solar Dryer

Function:

Natural convection type device used to dry products like fruits, vegetables, spices etc. for domestic use under hygienic conditions.

Design Features :

High Efficiency, uniform drying of products, option to dry products in shade, suitability for rural/remote places drying temperature in desirable range light weight and easy to move.

Important Specification :

Aperture Area - 0.36 sq m,
External Dimension - 620x620x350 mm,
Loading per batch - 1-3 kg (depending on product),
Drying time per batch - 2-3 days (depending on products)
Inclination of the dryer
fixed / 45° for north & 30° for south India



Performance : The maximum stagnation temperature achieved in the dryer in winter months in Northern India was 100°C for solar Insolation of 750 W/m² and ambient temperature of 30°C. Solar dried Chillies cost 15% lower than the cost of the unbranded product 57% lower than the branded product available in local market.

OPEN SUN DRYING

1. It will take more time to Dry
2. Products shall be contaminated with bird drops, dust & insects
3. Colour of the product shall be changed
4. Shelf life of product shall be low.
5. Selling price shall be lower.
6. In case of rain the whole material shall have to be lifted


DRYING IN SOLAR DRYER

1. Almost half time will be taken.
2. Products shall be dried hygienically.
3. No decolouration, original colour shall be retained.
4. Products shall have more shelf life
5. Products shall fetch high rates.
6. No worry of rain or dust storms.

OPERATIONAL MANUAL - OF MULTI RACK DOMESTIC SOLAR DRYER

1. Select a place in your house. Where sunlight is available from morning till evening.
2. Place the dryer facing towards South
3. Open side window of the dryer and take out all the trays.
4. Put the product in tray and keep them in solar dryer after covering the trays with Lids.
5. Depending upon weather condition and quality of moisture in the product, drying shall be completed in 3-4 days.
6. To get the better results, Change the position of trays from Bottom to Top - daily

50 POTS / 100POTS DRIP IRRIGATION KIT



MATERIAL WILL BE SUPPLIED IN KIT

ITEM	50 POTS KIT	100 POTS KIT
16MM FILTER	ONE	ONE
TAP ADAPTOR	ONE	ONE
16MM LATERAL	30MTR	60MTR
5MM MICRO LINE	50 MTR	100MTR
2LPH DRIPPER	50PCS	100PCS
MICRO LINE JOINER	50PCS	100PCS
LATERAL JOINER	4PCS	10PC
END CLIPS	2PCS	4PC
HOLE PUNCH	1PC	1PC
HOLE PLUG	15PCS	30PCS
TEE CONNECTOR	4PCS	10PCS
'L' CONNECTOR	4PCS	10PCS

IRRIGATION ACCESSORIES



T Connector



L Connector



Straight Connector



Start Connector



Grommet



Start Connector



Lateral Cock



Drip Tape Connector



Sprinklers



Integrated Drip Line & Tapes



Pressure Release Valve



Micro Tube Joiner

IRRIGATION ACCESSORIES



Dripper



12 & 16mm Lateral



Micro Tube



Filter 2"

Filter 1" & 1/2"

Filter 1/2"

Filter 16mm

Venturi



Foggers



Dripper Hole Punch



PVC Pipe Hole Drill



End Clip



Hole Plug

GROWING MEDIA & ORGANIC MANURES



COCOPEAT



VERMICULITE



PERLITE



VERMI COMPOST




HYDRO CRYSTAL



NEEM CAKE

MONITORING INSTRUMENTS



Soil Moisture Cum pH Meter



Water pH Meter



Water TDS & EC Meter



Plant Pollinator



LED Magnifying Glass



Hygro Meter



www.blustal.com



COMPLETE GREEN HOUSE SOLUTION UNDER ONE ROOF

Manufacturers & Exporters

BLUE STALLION EQUIPMENTS (P) LTD.

4585, Street-14, Shimla Puri, Ludhiana-141003 (INDIA)

Ph.: +91-161-5045218, Fax: +91-161-5086147

E-mail: Stallionindia@gmail.com

Web : www.blustal.com, www.blustal.in

Dealer/Distributor